RSBIIS ZgB891

# BULK'S NURSERIES

Montauk Highway Babylon, N. Y.

Tel. MOhawk 9-4400



Wholesale
Price List
SPRING 1955

809785

# **SPRING 1955**

You are always welcome at Bulk's Nurseries. Come to see us and we will be happy to show you our many blocks of fine well grown stock, especially suited for the landscape trade.

Growers of

Choice Nursery Stock

for over 30 years

# Bulk's Nurseries

Babylon, L. J., N. Y.

Telephone: MOhawk 9-4400

Evenings: MOhawk 9-5728

MOhawk 9-4928

#### Terms and Conditions of Sale:

The prices published in this list cancel those in all previous lists. They are based on present market conditions and are subject to change without notice.

Prices listed are F.O.B. our Nurseries. Transportation at cost borne by the purchaser.

Quantities 1 to 5 at the each rate; 5 to 25 at the 10 rate; 25 and over at the 100 rate.

All stock when especially selected on the nursery will be sold at prices commensurate with the values of the specimens chosen.

Because of prevailing conditions we are unable to do any baling or boxing.

Guarantee: As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

Claims: All claims must be made immediately upon receipt of stock.

**Terms:** Cash with order, or 30 days to parties who have established credit with us.

Balling and burlapping free of charge on evergreens, and also on deciduous stock where B&B is specified; but an additional charge will be made if deciduous stock, not marked B&B, is requested balled and burlapped.

SCHEDULE OF BAL Approximate Cost Depe	
DECIDUOUS TREES	name on various
$1\frac{1}{4}$ - $1\frac{1}{2}$ " Caliper	$\begin{array}{ccc} \text{Each} & \text{Each} \\ \text{per 10} & \text{per 100} \\ & \$ & 4.50 \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5.75 8.50
$2\frac{1}{2} \cdot 3^{"}$ " $3 \cdot 3\frac{1}{2}$ " " $3\frac{1}{2} \cdot 4$ " "	11.00 15.00
$3\frac{1}{2}-4''$ '' '' $4-4\frac{1}{2}''$ '' '' ''	$20.00 \\ 28.00 \\ 38.00$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$48.00 \\ 60.00$
7-8" " FLOWERING SHRUBS	80.00
$\left\{ egin{array}{c} 2 - 3' \ 3 - 4' \end{array} \right.$	.65 .75
4-5' 5-6'	1.00 1.50
{ 6-8' 8-10'	2.50 to 3.50 5.00 to 6.00

The cost of platforms is in addition to the above charges; but will be rebated if they are returned to our nurseries.

In addition to this list we have a Retail Catalogue (with regular discount to the trade) which we will gladly mail upon request.

		Each	Each
ABIES douglasi (Dougla	Each as Fir)	per 10	per 100
2-3'	4.00	3.60	3.25
3-4'	5.25		0.20
4-5'	7.00	6.50	
ACER palmatum atropu	rpurea (	Jap Red M	aple)
$2$ - $2\frac{1}{2}$	8.00		
$2\frac{1}{2}$ - $3'$	11.50		
A. platanoides atropurpu	ireum g	lobosa	
(All Summer	Red F	oliage	
similar to C		٠,	
6-7' Whips (Spring only)	3.50	3.25	
A. platanoides (Norway			
$1\frac{3}{4}$ -2" Cal.		10.00	
$2 \cdot 2\frac{1}{4}$ " " $2\frac{1}{4} \cdot 2\frac{1}{2}$ " " $2\frac{1}{2} \cdot 3$ " " "		13.50	12.50
$2\frac{1}{4}$ - $2\frac{1}{2}$ " "		15.50	
$2\frac{1}{2}$ - $3^{\prime\prime}$ " $2$	20.00	19.00	18.00
<b>0-0</b> <sub>2</sub>	26.00		
A. platanoides crimson l			. 735)
(Crimson F	-	ple)	
$1\frac{1}{4}$ - $1\frac{1}{2}$ " Cal. 8-10"	13.50		
APPLES in varieties			_
5 to 6-yr. 6-8'			
Larger Sizes	\$6.00	to \$14.00	each
AZALEA amoena (purp	le-red)		
12-15"	2.50	$2,\!25$	
15-18"	3.25		2.75
$1\frac{1}{2}$ -2'	4.25	4.00	3.75
A. calendulacea (Flame			
2-3'	$\frac{3.75}{4.75}$		
$3-3\frac{1}{2}'$	4.75	Janear messa)	
A. Fedora Kaempferi hy 15-18"	3.25	umon-rose)	
$15-16$ $1\frac{1}{2}-2'$	$\begin{array}{c} 3.25 \\ 4.25 \end{array}$	4.00	
$\begin{array}{c} 1_{2}$ -2 $2$ -2 $\frac{1}{2}$ '	5.25	4.75	4.50
A. Firefly	0.20	1.10	1.00
15-18"	3.50	3.25	3.00
$1\frac{1}{2}$ -2'	4.25	4.00	3.75
A. Hinodegiri (red)		_,,	33
12-15"	2.75	2.50	2.25
15-18"	3.50	3.25	
18-24′′	4.50	4.25	
A. Hinomayo (shell pin	k)		
$12\text{-}15^{\prime\prime}$	2.75	2.50	2.25
15-18"	3.50	3.25	3.00
18-24"	4.50	4.25	4.00
$2$ - $2\frac{1}{2}$ '	5.75	5.25	
A. kurume Orange Beau	-	0.70	
12-15"	2.75	2.50	
15-18"	3.50		

DOLKS	NOTESEICH		
	Each	Each per 10	Each per 100
AZALEA ledifolia alba		per 10	per 100
12-15"	3.00	2.75	2.50
15-18"	$\begin{array}{c} 3.00 \\ 3.75 \end{array}$		
		$\frac{3.50}{4.95}$	3.25
18-24"	4.50	4.25	
$2$ - $2\frac{1}{2}'$	6.00		
A. lilacina (lilac)			
$12\text{-}15^{\prime\prime}$	2.75	2.50	2.25
15-18′′	3.25	3.00	2.75
$1\frac{1}{2}$ -2'	4.25	4.00	
$2$ - $2\frac{1}{2}$ '	5.50	5.00	
A. pontica in varieties	(vellow, re	d and or	ange)
15-18"	3.50	3.25	3.00
18-24"	4.75	4.25	4.00
$2-2\frac{1}{2}$	6.00	5.50	5.00
	7.50		5.00
$2\frac{1}{2}-3'$		6.75	
A. poukhanensis (Kore			
15-18"	3.25	3.00	
$1\frac{1}{2}$ -2'	4.00	3.75	
$2$ - $2\frac{1}{2}'$	5.00		
A. rhombica (Pale Lav	ender)		
18-24"	4.75	4.25	
$2 - 2\frac{1}{2}$	5.75	5.25	
A. schlippenbachi	0.10	0.40	
	2.00	0.75	
12-15"	$\frac{3.00}{2.75}$	2.75	
15-18"	3.75		
BERBERIS julianae (F	9	Barberry	)
$1 - 1\frac{1}{2}'$	2.00		
#10 Can or B	&B		
B. thunbergi (Jap Barb	erry)		
15-18"	.40	.35	.28
$1\frac{1}{2}-2'$	.50	.40	0
B. thunbergi atropurpu			
15-18"	.50	.45	.40
$1\frac{1}{2}$ -2-'	.70	.60	.55
BIOTA — See Thuja			
BUDDLEIA (Butterfly	Bush) (va	rieties)	
	.75	.60	
CASTANEA mollissima			t)
5-6'	2.25		,
6-7'	$\frac{2.25}{3.25}$		
• •			.\ D 0 D
CERCIS canadensis (Re		oudas Tre	e) B&B
6-8'	8.75		
8-10'	11.00		
CHAMAECYPARIS ob	tusa (Hin	oki Cypr	ess)
4-5'	7.00		
5-6'	9.00		
6-7'	13.50		
C. obtusa compacta	_3.00		
(Football Cypres	e)		
$3\frac{1}{2}$ -4'	6.75		

	Each		ach r 100
<b>CHAMAECYPAI</b>	RIS obtusa compac	eta (continu	ied)
$4-4\frac{1}{2}'$	8.00		
C. obtusa cripsi	(Golden Hinoki Cy	press)	
$2 - 2\frac{1}{2}'$	4.00		
$3\frac{1}{2}$ -4'	8.50		
C. obtusa gracili	s (Slender Hinoki	Cypress)	
$2-2\frac{1}{2}'$	3.75	3.50	
$2\frac{1}{2}$ -3'	4.50	4.25	
$\tilde{3}$ -3 $\frac{1}{2}'$	6.25	5.75	
$3\frac{1}{2}$ -4 $^{7}$	7.50	6.75	
$\overline{4}$ -5'	10.00	9.00	
5-6'	14.50		
6-7'	18.50		
C. obtusa gracili	s compacta		
	Hinoki Cypress)		
$2 - 2\frac{1}{2}'$	7.00	6.50	
$2\frac{1}{2} - 3'$	9.00	8.50	
$\bar{3}$ -3 $\frac{1}{2}$ '	12.00		
C. obtusa nana	Dwarf Hinoki Cyp	oress)	
15-18''	4.50		
$1\frac{1}{2}$ -2'	6.50		
$2 ilde{rac{ ilde{ ilde{1}}}{2}} ext{-}3'$	14.00		
$ar{5}$ - $5rac{1}{2}'$	35.00		
6-7'	45.00		

#### HETZ' ANI



	Each	Each per 10	Each per 100
C. plumosa (Plumo	e Cypress)		
$2 - 2\frac{1}{2}'$	2.75	2.50	2.25
$2\frac{1}{2}$ -3'	3.25	3.00	2.75
$\overline{3}$ - $3\frac{1}{2}'$	3.75	3.50	3.25
$3\frac{1}{2}$ -4'	4.75	4.50	
C. pisifera aurea (	Golden Sawara	Cypress	)
$2\frac{1}{2}$ -3'	3.50	3.25	3.00
$\overline{3}$ -4'	4.00	3.75	
4-5'	6.50	6.00	
C. plumosa aurea	(Gold Dust)		
$1\frac{1}{2}$ -2'	2.50	2.25	2.00
$2$ - $2\frac{1}{2}$ '	2.75	2.50	2.25
$2\frac{1}{2}$ - $3^{\prime}$	3.25	3.00	2.75
$\overline{3}$ -3 $\frac{1}{2}$ '	4.00	3.75	3.50
C. filifera (Thread	Cypress)		
$2 - 2\frac{1}{2}'$	3.00	2.85	2.65
$2\frac{1}{2}$ -3'	3.50	3.25	
$\overline{3}$ -4'	4.00	3.75	
C. squarrosa (Moss	s Cypress)		
$2$ - $2\frac{1}{2}$ '	2.75	2.50	
$2\frac{1}{2}$ -3'	3.25	3.00	2.75
$\tilde{3}$ - $3\frac{1}{2}'$	4.00	3.75	
$3\frac{1}{2}$ -4'	5.00	4.75	

## PFITZERS' JUNIPER




	Each	Each per 10	Each per 100
CORNUS florida (	(White Floweri	ng Dogwo	od)
B&B			
4-5'	5.25	4.75	
5-6'	7.00	6.50	
6-7'	9.50		
C. kousa (Chinese	e Dogwood) B&	<b>B</b>	
4-5'	6.00	5.50	
5-6'	7.75	7.25	
6-7'	10.00		
C. mas (Corneliar	n Cherry) — <b>B</b>	&B	
3-4'	3.25		10
4-5'	4.50		
C. sanguinea (Blo	od Twig Dogwo	od)	
2-3'	,65	.55	
C. stolonifera lut	ea (Yellow-Tw	ig Dogwo	od)
2-3'		.65	,
3-4'	.90	.80	
C. divaricata — B			
$1\frac{1}{2}$ -2'	1.75	1.50	1.25
2-3'	2.75	2.50	2.15
C. foveolata — B			0
3-4'	3.25	3.00	2.75
4-5'	4.00	3.75	20
C. horizontalis (P			
B&B or #		custer)	
$1-1\frac{1}{2}'$		2.25	
CYDONIA japonio	ea (Jap Quince	:)	
$2$ - $2\frac{1}{2}$ '	1.00	.85	
DAPHNE mezeret		_	
$1\frac{1}{2}-2'$		2.50	2.25
$2$ - $2\frac{1}{2}$	3.25	3.00	
DEUTZIA crenata	and crenata r	osea	
4-5'	1.00	.85	
5-6'	1.25	1.00	
6-8'	1.75	1.50	
ENKIANTHUS (R		nthus) —	В&В
$2-2\frac{1}{2}'$	3.00		
$2\frac{1}{2}$ -3'	4.00		
3-4'	6.00		
EUONYMOUS ve	_		
15-18" Heavy	,		.85
$1\frac{1}{2}-2'$ "	1.50	1.25	1.00
B&1	B add 50c		

	Frak	Each	Each
FORSYTHIA fortunei	Each	per 10	per 100
3-4'	.90	.75	
4-5'	1.10	.95	
F. spectablis	1.10	.00	
3-4'	.90	.75	
4-5'	1.10	.95	
5-6'	1.35	1.10	
F. Spring Glory (new)			
3-4'	1.25	1.00	
4-5'	1.50	1.25	
5-6'	1.75	1.50	
GINGKO biloba (Maide		e)	
$2\frac{1}{2}$ -3" Cal.	18.50		
$3-3\frac{1}{2}''$ "	25.00		
GLEDITSIA triacanthos			
(Thornless Honey		4 - 0	
5-6'	1.75	1.50	1.35
6-8'	2.50	2.25	
8-10' Heavy	8.00		
HALESIA tetraptera	2.25	2.00	
5-6'	$\frac{2.25}{4.00}$	2.00	
6-8'	4.00		
HAMAMELIS virginian		1.00	
3-4'	$\frac{1.25}{1.65}$	1.00	1 95
4-5' 5-6'	$\begin{array}{c} 1.65 \\ 2.00 \end{array}$	1.50	1.35
HEDERA helix (Englis		0.5	90
2 Year 4" Pots	.30 .60	.25 $.50$	.20 .40
			.40
HIBISCUS syriacus (R			:+b
Following 3 varieties Woo	: Coelesus dbridge.	, w. K. S	mun
3-4'	1.50	1.25	
4-5'	2.00	1.75	
5-6'	2.75	2.50	
HYDRANGEA arb. gra			now)
2-3'	.80	.70	
3-4'	1.00	.85	
H. hortensis (Blue Hyd		0.00	
Field Plants	$\begin{array}{c} 2.25 \\ 1.25 \end{array}$	$\begin{array}{c} 2.00 \\ 1.00 \end{array}$	.85
3-Yr. Plants $1-1\frac{1}{2}$	1.20	1.00	.00
H. Pee Gee	00	<b>P</b>	
2-3'	.80	.70	
3-4' 4-5'	$\begin{array}{c} 1.00 \\ 1.50 \end{array}$	$\begin{array}{c} .85 \\ 1.25 \end{array}$	
<b>T</b> -0	1.50	1.40	


	Each	Each per 10	Each per 100
ILEX crenata (Jap.	Holly)		
$1\frac{1}{2}-2'$	3.50	3.25	3.00
$\overset{1}{2} \overset{2}{2} \overset{1}{\underline{2}}'$	4.75	4.25	4.00
$2\frac{1}{2}$ - $3'$	5.75	5.25	5.00
3-4'	8.25	7.50	7.00
4-5'	12.00	1.00	1.00
I. crenata (Spreadin	g Type)		
18-24''	4.00		
$2$ - $2\frac{1}{2}$ '	5.25		
$2\frac{1}{2}$ -3'	6.50		
I. crenata compacta			
15-18"	3.75	3.50	
$1\frac{1}{2}$ -2"	4.75	4.25	
I. glabra (Inkberry)			
15-18''	2.50	2.25	
$1\frac{1}{2}$ -2'	3.00	2.75	2.50
$ ilde{2}$ - $2rac{1}{2}{}^{\prime}$	3.50	3.25	3.00
I. opaca (American	Holly)		
2-3'	5.00	4.50	
3-4'	7.00	6.50	
3-4' Heavy	8.75	8.00	
4-5'	11.00	10.00	
Selected berried			al.
I. verticillata (Winte	rberry)		
2-3'	1.00	.85	
3-4'	1.25		
JUNIPERUS chinens	sis pfitzerian	a	
(Pfitzer Junipe	•		
15-18"	3.00	2.75	2.50
$1\frac{1}{2}$ -2'	3.75	3.25	3.00
$2-2\frac{1}{2}'$	4.75	4.25	4.00
$2\frac{1}{2}$ - $3^{\prime}$	5.75	5.25	5.00
$\overline{3}$ - $3\frac{1}{2}$ '	7.00	6.50	
$3\frac{1}{2}$ -4'	8.50	8.00	
J. chinensis columna			
(Columnar Chi	-		
3-4'	5.00	4.50	
4-5'	6.00	5.50	
5-6'	8.00	7.50	
6-7'	11.00	10.00	
7-8'	14.00	13.00	
8-10′	19.00	18.00	
10-12′ 12-14′	25.00		
	30.00		
J. communis hibernic		•	
2-3'	2.50	2.25	2.00
3-4'	3.00	2.75	2.50

	Each	Each per 10	Each per 100
JUNIPERS			Position
J. communis suecica	(Swedish J	Juniper)	
$2 - 2\frac{1}{2}'$	2.50	2.25	
$2\frac{1}{2}$ - $3'$	2.75	2.50	
$ar{3}$ - $3rac{1}{2}'$	3.25	3.00	
J. glauca hetzi (Hetzi	's Spreadin	g Juniper	)
15-18′′	2.75	2.50	
$1\frac{1}{2}$ -2'	3.50	3.25	3.00
$ ilde{2}$ - $2rac{1}{2}{}'$	4.50	4.00	3.75
$2\frac{1}{2}$ - $3^{7}$	5.25	4.75	
J. virg, cannarti (Can	nnarti Juni	per)	
J. virg. glauca (Blue	•	•	
J. keteleeri (Keteleer	•		
3-4'	5.50	5.00	4.75
4-5'	6.50	6.00	5.75
5-6'	8.50	7.75	0.10
6-7'	11.00	10.00	
7-8'	14.00	13.00	
8-10′	19.00	18.00	
10-12'	26.00	10.00	
KOLKWITZIA amabi		Ruch	
4-5'	1.35	1.15	1.00
5-6'	1.65	$\frac{1.13}{1.40}$	$1.00 \\ 1.25$
			1.40
LABURNUM vossi (G		n)	
6-8'	4.75		
8-10'	6.00		
LESPEDEZA formosa	Ļ		
(Purple Bush (	Clover)		
(Good Deep	p Colored S		
Heavy	1.25	1.00	.85
LEUCOTHOE catesba	ei (Droopii	ng Leucot	hoe)
15-18"	3.00	2.75	2.50
$1\frac{1}{2}-2'$	3.50	3.25	
LIGUSTRUM ovalifoli		rnia Priva	( <del>t</del> )
		.20	.16
2-3′ 2-Yr. Heavy	/		.22
4-5' '' ''		$.25\\.40$	.32
5-6: ", ", ", ", ", ", ", ", ", ", ", ", ",		.55	.32 $.45$
J-0.	D 11 D.		.40
L. ibota regelianum (			<b>-</b> 0
2-3' Spread	.65	.55	.50
$3-3\frac{1}{2}$ "	1.00	.85	
LIQUIDAMBER styra	ciflua (Sw	eet Gum)	$\mathbf{B} \mathbf{\&} \mathbf{B}$
$1\frac{3}{4}$ -2" Cal.	13.50		
$2-2\frac{1}{4}^{\prime\prime}$ ,,	17.00		
$2rac{1}{4}$ - $2rac{1}{2}^{\prime\prime}$ "	20.00		
LONICERA grandiflor	ra (Bush H	oneysuck)	le)
2-3'	.75	.60	
3-4'	.85	.75	
4-5'	1.00	.85	



### OFFICES ON

	Each	Each per 10	Each per 100
MAGNOLIA soulangea	na — B&B		•
2-3'	4.75	4.25	
3-4'	6.00	5.50	
4-5'	7.50	7.00	
5-6'	10.50	9.50	
6-7'	14.50		
M. soulangeana nigra	and lennei	— В&В	3
3-4'	6.75	6.25	
4-5'	9.00	8.50	
M. alba superba (whit	e) — <b>B&amp;B</b>		
2-3'	4.75	4.25	
3-4'	6.00	5.50	
4-5'	7.50	7.00	
M. halleana (Stellata)	(white) —	B&B	
2-3'	8.50		
3-4'	11.00		



		Each	Each per 10	Each per 10
	(Flowering pa — B.R.	Crab) ar	noldiana,	eleyi,
6-8'	Heavy	7.50	6.50	
8-10'	,	9.00	8.00	
MYRICA	pennsylvan	nica (Baybe	rry)	

# B&B

$1\frac{1}{2}$ -2'	2.00	1.75
$2$ - $2\frac{1}{2}$	2.75	

# OXYDENDRUM arboreum (Sour Wood) B&B

3-4' 3.50 4-5' 5.00

		Each	Each per 10	Each per 100
PEARS (in varie	eties)			
5-6 Yr.	6-8'	5.00 to	7.00	
	8-10′			
PHILADELPHUS	S Mt. 1		_	( <b>e</b> )
3-4'		.85	.75	
4-5'		1.00	.85	
5-6'		1.35	1.10	
P. Avalanche (de	ouble i	improved	type)	
2-3'		.75	.65	
3-4'		1.00	.85	
4-5'		1.25	1.00	
5-6'		1.50	1.25	
6-7'		2.00	1.75	
DIIOTINIA:lla	- (Ch:		tmas Do	
PHOTINIA villos 2-3'	a (Cm	nese Chris .85	.75	rry)
2-3 3-4'			1.00	
-		1.25		
4-5'		1.75	1.50	
5-6'		$\frac{2.25}{2.25}$	2.00	
6-7'		2.75	2.25	
PHYSOCARPUS	opulifo	olius (Nine	Bark)	
3-4'		.85	.75	
4.5'		1.00	.85	
5-6'		1.25	1.00	
6-7'		1.75	1.50	
P. opulifolius nar	. (Dy			
4-5'	ia (Dv		Dark)	
		1.25	1.50	
5-6'		1.75	1.50	
PICEA alba (Wh	ite Spr	uce)		
$2\frac{1}{2}$ -3'		3.75		
3-4'		5.00		
PIERIS japonica	(And	romode)		
15-18"	(And	3.50	3.25	
$1\frac{1}{2}$ -2'		$\frac{3.50}{4.50}$	$\begin{array}{c} 3.25 \\ 4.25 \end{array}$	
_				
$rac{2  ext{-} 2 rac{1}{2}'}{2 rac{1}{2}  ext{-} 3'}$		$\frac{6.00}{7.25}$	5.50	
2 <del>2</del> -0		7.25		
PINUS cembra (	Swiss	Stone Pin	<b>e</b> )	
$2\frac{1}{2}$ -3'		8.50		
$3-3\frac{1}{2}'$		11.00		
P. densiflora (Jap	. Red	Pine)		
2-3'		4.00	3.50	
P. montana mugh	me /M			
	III) cui	_	,	
12-15"		$\frac{3.00}{2.50}$		
15-18″		3.50		
P. strobus (White	e Pine	compact		
4-5'		7.00	6.25	
5-6'		10.00		
6-8'		14.50		

BOERS	VOICELLI	.E15	7.0
	Each	Each per 10	Each per 100
PINUS thunbergi (Jap.	Black Pir	ne)	
2-3'	4.00	3.50	
$3  ext{-} 3  extstyle{\frac{1}{2}}'$		5.25	
$3\frac{1}{2}$ -4'	7.50	7.00	
02 1	1.00	1.00	
PLATANUS acerifolia	(Sveamor	a)	
(London Plane)	(Sycamor	<b>(</b>	
$2\frac{1}{4} - 2\frac{1}{2}''$ Cal.	16.00	15.00	
91 9// "	20.00	19.00	
$2\overline{2}$ -0 "" "" "" "" "" "" "" "" "" "" "" "" ""	26.00		
<b>J-J</b> 2	20.00	45.00	
RHODODENDRON ma	vinanna		
(Great Bay Rhod		1	
$2\frac{1}{2}$ -3' Heavy	5.50		
3-4'	7.50		
4-5' ''	10.00		
4-9	10.00		
DWODODENDDON W	1 11 1	• 4•	
RHODODENDRON Hy			
tacus, Crimson;			
Dr. H. C. Dresse		· ·	
anum, Rosy Lila lavender.	c, noseui	n elegans	, Muse-
15-18"	5.25	5.00	
			6.00
$1\frac{1}{2} \cdot 2'$	7.00	6.50	6.00
$2$ - $2\frac{1}{2}'$	9.00	8.50	
RHODODENDRON hyl	hrid		
Catawbiense gran			
(Large Floweri			
Boursault (Rose-			
		4.50	
15-18"		$\frac{4.50}{5.75}$	5.50
$1\frac{1}{2} \cdot 2'$	6.50		5.50
$2$ - $2\frac{1}{2}'$	8.50	7.75	7.25
CATTE 1 . (55)	_ • = == 7.01	U1 - \	
SALIX babylonica (We			1.50
6-8'		$\frac{1.75}{2.75}$	
8-10' $1\frac{1}{2}$ - $1\frac{3}{4}''$ Cal.		$\frac{3.75}{4.75}$	3.50
10-14 14-4		$\frac{4.75}{7.00}$	CEO
$ \begin{array}{ccc} 2-2\frac{1}{2}'' & \text{\^{C}al.} \\ 2\frac{1}{2}-3'' & " \\ 3-4'' & " \end{array} $		7.00	6.50
$2\frac{1}{2}$ -3" "	9.50	8.50	
3-4′′ ''	12.00		
SPIREA Anthony Wate	ror		
2-3'	1.00	.85	
		1.00	
3-4'	1.25	1.00	
S. van Houttei (Bridal	Wreath)		
2-3'	.85	.70	
3-4'	1.00	.85	
ware species	2.30		

	Each	Each per 10	Each per 100
SYMPHORICARPOS	racemosus	(Snow Bo	erry)
$2$ -3 $^{\prime}$	.75	.65	.50
3-4'	.85	.70	.65
S. vulgaris (Coral Ber	rry)		
2-3'	.75	.65	.50
3-4'	.85	.70	.65
4-5'	1.00	.85	
SYRINGA vulgaris (	Common Li	lae)	
2-3' Heavy	1.75	1.50	
3-4' "	2.25	2.00	
S. (French Hybrid Li	ilac) (in va	rieties)	B&B
2-3'	2.50	2.25	
3-4'	3.50	3.25	
4-5'	4.75		

# THE YEW

The quality of Bulk's Taxus is widely known.

Our prices represent excellent values.

## TAXUS baccata repandens

(Spre	eading Eng	glish <b>Y</b>	(ew)	
15-18′′		3	.75	3.50
$1\frac{1}{2}$ -2'		4	.75	4.50
$2$ - $2\frac{1}{2}'$		6	.00	
T. baccata	hibernica	(Irish	Yew)	
0.014		0	0.0	

$3-3\frac{1}{2}'$	8.00
$3\frac{1}{2}$ -4'	9.50
$4$ - $4\frac{1}{2}'$	11.00
$4\frac{1}{2}$ -5'	13.50

# T. cuspidata (Spreading Jap. Yew)


15-18''	3.25	3.00
$1\frac{1}{2}$ -2'	4.25	4.00
$2$ - $2\frac{1}{2}$ '	5.50	5.00
$2\frac{1}{2}$ -3'	7.25	6.75
$3\text{-}3\frac{1}{2}'$	10.00	
$3\frac{1}{2}$ - $4'$	13.00	
$4-4\frac{1}{2}'$	17.00	

## **HEAVY SPECIMEN**

12-14' 95.00

	Each	Each per 10	Each per 100
TAXUS cusp. bul			_
•	axus cuspidata, b		
* *	foliage, a choice		
15-18′′ <sup>°</sup>	3.50	3.25	3.00
$1\frac{1}{2}$ -2'	4.50	4.25	4.00
TAXUS cuspdita			
$2\frac{1}{2}$ -3'	6.00	5.50	
$3-3\frac{1}{2}$	7.00	6.50	
$3\frac{1}{2}$ - $4'$	8.50	7.75	7.25
$4 - 4\frac{1}{2}$	11.00	10.00	9.00
$4-4\frac{1}{2}$ Heavy		12.00	11.50
$4\frac{1}{2}$ -5'	13.50	12,50	11.50
$4\frac{1}{2}$ -5' Heavy	16.00	15.00	14.00
$5-5\frac{1}{2}$ Reg.	16.00	15.00	14.00
$5-5\frac{1}{2}$ Heavy	18.00	17.00	16.00
$5\frac{1}{2}$ - $6$ Reg.	20.00	18.00	17.00
$5\frac{1}{2}$ -6' Heavy	25.00	23.00	
6-7' Reg.	26.00	24.00	22.00
6-7′ Heavy	30.00	27.50	26.00
7-8' Reg.	33.00	30.00	28.50
7-8' Heavy	37.00	34.00	32.00
8-9'	42.00	38.00	
16-17' ''	140.00		
T. cuspidata cap	itata		
(Wide con	npact, tightly sh	eared)	
$2rac{1}{2}$ - $3'$	7.50		
$ar{3}$ - $3rac{1}{2}'$	9.25	8.50	
$3\frac{1}{2}$ -4'	12.00	11.00	10.00
$\overline{4}$ - $4\frac{1}{2}$ '	15.00	14.00	
$4\frac{1}{2}$ - $5^{\prime}$	18.50	17.50	

# TAXUS CUSPIDATA — 1½'-2½'



16 BULI	Each	Each per 10	Each per 100
TAXUS capitata co		_	
$3-3\frac{1}{2}'$	7.00	6.50	6.00
$3\frac{1}{2}$ -4'	8.50	7.75	7.25
_	12.00	11.00	1.40
$\frac{4-4\frac{1}{2}'}{41-5'}$	$12.00 \\ 14.00$	13.00	12.00
$4\frac{1}{2}$ -5'			12.00 $14.50$
$5-5\frac{1}{2}'$	16.50		14.50
$5\frac{1}{2}$ -6'		20.00	
6-7'	27.50	25.50	
7-8'	35.00	20.00	
8-9'	42.00	38.00	
9-10′	50.00		
T. cuspidata capita	ta — Large L	eaf	
_	variety with l		embling
	nana — a ve		
$4-4\frac{1}{2}'$	15.00		
$4\frac{1}{2} \cdot 5'$	19.00		
5-6'	23.00	21.50	
6-7'	35.00	32.50	
T. intermedia (Hylomographics) (Spreading To 15-18'' $1\frac{1}{2}-2'$ $2-2\frac{1}{2}'$ $2\frac{1}{2}-3'$ $3-3\frac{1}{2}'$ $3\frac{1}{2}-4'$ $4-4\frac{1}{2}'$		3.25 $5.50$ $7.25$ $11.00$ $15.00$	
T. media hatfieldi	(Hatfield Yew	7)	
15-18''	3.50	3.25	3.00
$1\frac{1}{2}$ - $2'$	3.75	3.50	3.25
$2$ - $2rac{1}{2}{}^{\prime}$	4.50	4.25	4.00
$2\frac{1}{2}$ -3' Reg.	6.00	5.50	5.00
$2\frac{1}{2}$ -3' Heavy	7.00	6.50	
$\tilde{3}$ - $3\frac{1}{2}$ ′ Reg.	7.50	7.00	
$3-3\frac{1}{2}$ Heavy	12.00	11.00	
$3\frac{1}{2}$ -4' Heavy	15.00		
$4-4\frac{1}{2}$ Heavy	18.00	16.25	
•			
T. media hicksi (I		0.07	0.00
$1\frac{1}{2}$ -2'	3.50	3.25	$\frac{3.00}{3.00}$
$2$ - $2\frac{1}{2}'$	4.25	4.00	3.75
$2\frac{1}{2}$ -3' Reg.	5.75	5.25	4.75
$2\frac{1}{2}$ -3' Heavy	6.50	6.00	
$3-3\frac{1}{2}'$ Reg.	7.00	6.50	
$3-3\frac{1}{2}'$ Heavy	8.50		
$3\frac{1}{2}$ -4' Reg.	9.75	8.75	

TAXUS media hicksi (H	Each Iicks' Yo 12.00	Each per 10 ew Continu	Each per 100
		ew Continu	(Bor
91 4/ II.	12.00		16(I)
$3\frac{1}{2}$ -4' Heavy	12.00		
$4-4\frac{1}{2}'$ Reg.	13.00		
$4-4\frac{1}{2}'$ Heavy	15.00		
$4\frac{1}{2}$ -5' "	19.00		
5-6' "	25.00	22.50	
T. kelseyi (Kelsey's Yes	w)		
$1\frac{1}{2}$ - $2'$	3.50	3.25	3.00
$2$ - $2\frac{1}{2}$ '	4.25	4.00	3.75
$2\frac{1}{2}$ - $3'$	5.75	5.25	4.75
$3-3\frac{1}{2}'$	7.00	6.25	
$3\frac{1}{2}-4^{'}$	9.75		
T. nana brevifolia (Dwa	rf Yew)		
15-18′′	4.25	3.75	
$1\frac{1}{2}$ -2'	5.50	5.00	
$\frac{1}{2} - 2\frac{1}{2}$	7.50		
$2\frac{1}{2}$ - $3'$	11.00		
T. vermeulen (Vermeule	en's Yev	v) .	
$1\frac{1}{2}$ -2'	3.75	3.50	3.25
$ar{2}$ - $2rac{1}{2}'$	4.50	4.25	4.00
$2\frac{1}{2}$ -3'	6.00	5.50	5.00
$3-3\frac{1}{2}'$	7.50	7.00	

# TAXUS CAPITATA and COLUMNARIS For Hedges

These plants, while some are not quite finished enough for individual specimen planting, afford an excellent opportunity for medium cost hedge planting.

# Grown From Selected Cuttings — B&B

	Each per 10	Each per 100
3-4'	4.75	4.25

#### 2.50 2.25 2.00 $2-2\frac{1}{2}'$ $2\frac{1}{2} - 3'$ 3.00 2.75 2.50 3-4' 3.75 3.50 3.25 T. occ. compacta & hoveyi (Parson's Arborvitae) 2.25 2.00 1.85 15-18" 2.75 2.50 $1\frac{1}{2}-2'$

# T. occ. erecta $\begin{array}{ccc} 2\text{-}2\frac{1}{2}' & 2.75 & 2.50 \\ 2\frac{1}{2}\text{-}3' & 3.25 & 3.00 \end{array}$

THUJA occidentalis (American Arborvitae)

T. occ. lutea	(George Peabody)	(Arborvitae)
5-6'	6.25	

8.00

6-7'

18 BULKS	S NURSERI	E5	
	Each	Each per 10	Each per 100
THUJA occ. nigra Da	ark America	n Arborv	itae)
$2 - 2\frac{1}{2}'$	2.50	2.25	2.00
$2\frac{1}{2}$ -3'	3.00	2.75	2.50
3-4'	3.75		3.25
T. occ. plicata (Giant			
$2  ext{-} 2  extstyle{}  extstyle{} 2  ext$	2.75	2.50	2.25
$2\frac{1}{2}$ - $3'$	3.25	3.00	2.75
3-4'	4.00	3.75	
T. occ. pyramidalis (	Pyramidal A	<b>A</b> rb.)	
$2-2\frac{1}{2}'$	2.50	2.25	
$2\frac{1}{2}$ - $3'$	3.00	2.75	2.50
3-4'	3.50	3.25	3.00
8-9'	12.00	0.20	0.00
0-9	12.00		
T. occ. rosenthali (R			
$2$ - $2\frac{1}{2}$ '	3.25	3.00	
$2\frac{1}{2}$ -3'	4.25		
T. standishi (Standis 8-10'	h Arb.) 16.50		
T. occ. wareana (Sibo			
4-5'	6.00	5.50	
5-6'	7.50		
T. orientalis nana au	rea (Golden	Biota)	
15-18"	2.75	2.50	
18-24′′	3.25		2.75
$2 \cdot 2^{\frac{1}{2}'}$	3.75	0.00	2.10
$2^{-2}\overline{2}$	0.10		
TSUGA canadensis (	Canadian H	emlock)	
$1\frac{1}{2}$ -2'	3.00	2.75	2.50
$2$ - $2\frac{1}{2}$ '	3.75	3.50	3.25
$2 - \frac{1}{2} - 3'$	4.50	4.25	4.00
$3\overline{-3}\frac{1}{2}'$	6.50	6.00	5.50
$3\frac{1}{2}$ -4'	7.50		6.50
$\overline{4}$ -5'	8.75		0.00
m 1 1 / (C) 1			
T. caroliniana (Carol		<b>K</b> )	
4-5'	12.00		
5-6′	16.00		
ULMUS americana (	American F	lm)	
$2-2\frac{1}{2}$ Cal.	9.00	8.00	
$2\frac{1}{2}$ $3^{\prime\prime}$ "	12.00		
_			
$3-3\frac{1}{2}^{\prime\prime}$ "	16.00	15.00	
9-0	35.00		
6-7" "	50.00		

BULK'S NU	RSERIE	S	19	
	Each	Each per 10	Each per 100	
ULMUS pumila (Siberian	Elm)			
1 <sup>3</sup> / <sub>2</sub> -2″ Cal	7.00			
$1\frac{3}{4} - 2''$ Cal. 2- $2\frac{1}{2}''$	9.00			
2 22	0.00			
VACCINIUM hybrid (Highbush Blueberry) <b>B&amp;B</b> (In Varieties)				
2-3'	2.50	2.25		
VIBURNUM carlesi (Frag		urnum)		
V. juddi (Fragrant Vibur)		. e. D		
(Good Strong Grow Prices for Above				
$2-2\frac{1}{2}'$	3.25	arreties		
$2\frac{1}{2}-3'$	3.75			
_	33			
V. lentago (Nannyberry)	1.50			
4-5'	1.50	1 75		
5-6'	2.00	1.75		
V. dentatum (Arrow Woo	od)			
V. opulus (European Cran	berry B	ush)		
Prices of Above	Two Va	arieties		
3-4'	1.25			
4-5'	1.50	1.25		
5-6'	1.75	1.50		
V. op. sterilis (Common S	Snowball	)		
3-4'	1.50	1.25		
4-5'	1.75	1.50		
V. theiferum (Tea Viburn	um)			
2-3'	1.25	1.00		
3-4'	1.75			
V. tomentosum (Double I	Filo Vibu	(maxima)		
2-3'	1.00	.90		
2-3 3-4'	$1.00 \\ 1.25$			
0-1	1.20	1.00		
WEIGELA rosea (Pink V	Veigela)			
3-4'	.90	.75		
4-5'	1.25	1.00		
5-6'	1.50	1.25		
W. vaniceki (Red)				
3-4'	1.00	.85		
4-5'	1.50	1.25		
W. nana variegata (Variegated Foliage)				
2-3'	.90	.75		
3-4'	1.10	.95		

# VINES and CLIMBERS

WISTERIA sinensis, sinensis alba (Chinese Wisteria)

#### Bare Root

		Each	Each per 10
4-Year	Grafts	3.00	2.50

### SINENSIS and ORIENTAL HYBRIDS

S. floribunda Naga Noda

S. floribunda Kyushku

Heavy Mature Grafts, extra heavy, staked B&B

6-9' — \$18.00 to \$22.00 each

# LINING OUT TAXUS CAPITATA

(Upright Yew)

From field rows, several times transplanted and sheared. Can be safely shipped bare root, puddled. (Excellent Root System.)

ROW	RUN	Each per 100	Each per 1000
2-3'	B.R.	2.50	2.25
3-4'	"	3.25	3.00
3-4'	B&B	3.75	3.50


## ROSES HYBRID TEA

2-Year (in varieties) — 90 cents

## LINING OUT STOCK LARGE QUALITY LINERS

3-4 Years, Field Grown Transplants

	Each per 100	Each per 1000
ILEX crenata (Jap. Holly)		•
12-15′′	.65	.55
BERBERIS julianae		
10-12′′	.50	
JUNIPERIS glauca hetzi		
12-15′′	.50	.45
THUJA occ. pyramidalis		
12-15′′	.35	.30
T. occ. nigra		
12-15′′	.35	.30
T. occ. plicata		
$12-15^{\prime\prime}$	.35	
T. occ. compacta		
8-10′′	.35	.30
CHAMAECYPARIS plumosa		
12-18′′	.35	
C. pl. aurea		
12-15′′	.35	



# BULK'S NURSERIES

BABYLON, NEW YORK

Telephone 9-4400

Members of the
American Association of Nurserymen
N. Y. State Nurserymen's Association
L. I. Nurserymen's Association

